## UNITED STATES DEPARTMENT OF COMMERCE



National Oceanic Atmospheric Administration National Marine Fisheries Service Sustainable Fisheries Division 7600 Sand Point Way N. E., Building. 1, Bin C15700 Seattle, WA 98115-0070

DATE: November 14, 2007 TO: DISTRIBUTION

FROM: F/NWR2 -Becky Renko

SUBJECT: PRELIMINARY Report #10 -- 2007 Pacific Whiting Fishery

This report consolidates preliminary state, federal, and tribal data for the 2007 Pacific whiting fishery. Due to concerns about the incidental catch of overfished species, bycatch limits are in place for canary (4.7 mt), darkblotched rockfish (25 mt) and widow

rockfish (275 mt) taken in the non-tribal sectors of the fishery.

Tockrish (275 lit) tak	en in the non-tribal sectors of the		rishery.				
	Allocation Percentages	Metric Tons	Whiting Catch* (mt)	Overfished Species and Chinook salmon catch	Thru [date]	Status	Percent of alloca- tion taken
California (south of 42 N lat.)	(5% shore alloc'n; included in WOC shore allocation)	4,370	2,967			started 4/1	
Oregon		NA	69,696				
Washington		NA					
WOC shore- based	42% commercial OY	87,398	72,663	Canary – 2.03 mt Widow – 89.63 mt Darkblotched – 0.81 mt Chinook # 2,442	11/9	coastwide started 6/15, ended 7/26, reopened 10/7	83.1%
Mothership (n. of 42 N. lat.)	24% commercial OY	49,942	47,844	Canary – 1.62 mt Widow – 72.99 mt Darkblotched – 6.73 mt Chinook # 595	11/2	started 5/15, ended 7/26, reopened 10/7	95.8%
Catcher/ processor (n. of 42 N. lat.)	34% commercial OY	70,751	62,776	Canary – 0.35 mt Widow –71.74 mt Darkblotched – 5.25 mt Chinook # 434	11/12	started 5/15, ended 7/26, reopened 10/7	88.7%
Total nontribal	commercial OY	208,091	183,283	Canary – 4.00 mt Widow – 234.36 mt Darkblotched –12.79 mt Chinook - # 3,471			88.1%
Tribal (Makah)		32,500	23,827	Canary - 1.19 mt Widow - 2.03 mt Darkblotched - 0.00 mt Chinook # 2,375	11/13		73.3%
Total directed fishing		240,591	207,110	Canary – 5.19 mt Widow – 236.39 mt Darkblotched – 12.79 mt Chinook # 5,846			86.1%
Total	OY=optimum yield	242,591	207,110				

<sup>\*</sup> Catch includes: discards from at-sea processors; weigh-backs from shore-based vessels; catch landed under trip limits prior to the season, and estimated bycatch from non-EFP vessels. The values for at-sea processing sectors are based on NMFS observer data. Data for shore-based vessels were provided by the States. Data for the at-sea processing portion of the Makah fishery are based on preliminary NMFS observer data and shore-based catch was provided by tribal samplers. All weights are in metric ton (2,204.6 pounds).